REFERENCES

[1]   Electromagnetic Transients Program Rule Book. Bonneville Power Administration, Portland, Oregon, April 1982.

[2]   F.H. Branin, "Computer methods of network analysis," Proc. IEEE, vol. 55, pp. 1787-1801, Nov. 1967.

[3]   J.G.F. Francis, "The QR transformation," Computer Journal, vol. 4, pp. 332-345, 1961.

[4]   J.H. Wilkinson, The Algebraic Eigenvalue Problem. Oxford Univ. Press, London, 1965.

[5]   J.E. Van Ness, "The inverse iteration method for finding eigenvectors," IEEE Trans. Automatic Control, vol. AC-14, pp. 63-66, Feb. 1969.

[6]   E.J. Davison, "A high-order Crank-Nicholson technique for solving differential equations," Computer Journal, vol. 10, pp. 195-197, Aug. 1967.

[7]   A. Ralston, A First Course in Numerical Analysis. McGraw-Hill, New York, 1965.

[8]   M. Darveniza et al., "Modelling for lightning performance calculations," IEEE Trans. Power App. Syst., vol. PAS-98, pp. 1900-1908, Nov./Dec. 1979.

[9]   Working Group 36-05, "Harmonics, characteristic parameters, methods of study, estimates of existing values in the network," Electra, no. 77, pp. 35-54, July 1981.

[10]   S. Tominaga, K. Azumi, Y. Shibuya, M. Imataki, Y. Fujiwara and S. Nishida, "Protective performance of metal oxide surge arrester based on the dynamic v-i characteristics," IEEE Trans. Power App. Syst., vol. PAS-98, pp. 1860-1871, Nov./Dec. 1979.

[11]   W.S. Meyer and H.W. Dommel, "Telephone-interference calculation for multiconductor power lines," IEEE Trans. Power App. Syst., vol. PAS-88, pp. 35-41, Jan. 1969.

[12]   A. Wexler (editor), Large Engineering Systems. Pergamon Press, Oxford, 1977. Contribution by P.B. Johns, "Numerical modelling by the TLM method."

[13]   V. Brandwajn, "Synchronous generator models for the analysis of electromagnetic transients," Ph.D. thesis, University of British Columbia, Vancouver, Canada, 1977.

[14]   R.W. Hamming, Numerical Methods for Scientists and Engineers. Second Edition, McGraw-Hill Book Co., New York, 1973, p. 580 (or p. 327 in First Edition, 1962).

[15]   B. Kulicke, "Simulationsprogramm NETOMAC: Differenzenleitwertverfahren bei kontinuierlichen und diskontinuierlichen Systemen (Simulation program NETOMAC: Difference conductance method for continuous and discontinuous systems)," Siemens Forschungs - und Entwicklungsberichte - Siemens Research and Development Reports, vol. 10 (1981), no. 5, pp. 299-302.

[16]   V. Brandwajn, "Damping of numerical noise in the EMTP solution," EMTP Newsletter, vol. 2, no. 3, pp. 10-19, Feb. 1982.

[17] F. Alvarado, "Eliminating numerical oscillations in trapezoidal integration," EMTP Newsletter, vol. 2, no. 3, pp. 20-32, Feb. 1982.

[18] CIGRE-Working Group 13.05, "The calculation of switching surges. II. Network representation for energization and re-energization studies on lines fed by an inductive source, Electra, no. 32, pp. 17-42, 1974.

[19] R. Malewski, V.N. Narancic and Y. Robichaud, "Behavior of the Hydro-Quebec 735-kV system under transient short-circuit conditions and its digital computer simulation," IEEE Trans. Power App. Syst., vol. PAS-94, pp. 425-431, March/April 1975.

[20] M.I.T. Staff, Magnetic Circuits and Transformers. MIT Press, Cambridge, Mass. (original edition 1943, many reprints thereafter), p. 197.

[21] P.C. Krause, F. Nozari, T.L. Skvarenina, D.W. Olive, "The theory of neglecting stator transients," IEEE Trans. Power App. Syst., vol. PAS-98, pp. 141-148, Jan./Feb. 1979; discussion by V. Brandwajn and W.A. Mittelstadt.

[22] R.W. Jensen and L.P. McNamee (editors), Handbook of Circuit Analysis Languages and Techniques. Prentice-Hall, Englewood Cliffs, N.J., 1976.

[23] G.W.A. Dummer, Modern Electronic Components. Pitman & Sons, London, 1959, p. 131.

[24] A. Roth, Hochspannungstechnik ("High Voltage Engineering," in German). Springer, Vienna, 1959, p. 605.

[25] S. Seshu and M.B. Reed, Linear Graphs and Electrical Networks. Addison-Wesley, Reading, Mass., 1961.

[26] A.G. Phadke (editor), Digital Simulation of Electrical Transient Phenomena. IEEE Tutorial Course, Course Text 81 EHO173-5-PWR, IEEE Service Center, Piscataway, N.J., 1980.

[27] M.H. Hesse, "Electromagnetic and electrostatic transmission-line parameters by digital computer," IEEE Trans. Power App. Syst., vol. 82, pp. 282-290, 1963.

[28] J.R. Carson, "Wave propagation in overhead wires with ground return," Bell Syst. Tech. Journal, vol. 5, pp. 539-554, 1926.

[29] F. Pollaczek, "On the field produced by an infinitely long wire carrying alternating current," Elektrische Nachrichtentechnik (in German), vol. 3, pp. 339-359, 1926, and "On the induction effects of a single phase ac line," Elektrische Nachrichtentechnik (in German), vol. 4, pp. 18-30, 1927 (French translation in Revue General de 1'Electricite, vol. 29, **pp.** 851-867, 1931).

[30] M. Nakagawa and K. Iwamoto, "Earth-return impedance for the multi-layer case," IEEE Trans. Power App. Syst., vol. PAS-95, pp. 671-676, March/April 1976.

[31] M.C. Perz and M.R. Raghuveer, "Generalized derivation of fields, and impedance correction factors of lossy transmission lines," IEEE Trans. Power App. Syst., vol. PAS-93, pp. 1827-1841, Nov./Dec. 1974.

[32] R. Hartenstein, H.J. Koglin and V. Rees, "Equivalent circuit of HVDC lines for symmetric and unsymmetric operation in a frequency region 0 to 100 kHz," ETZ-A (in German), vol. 93, pp. 148-152,

1972.

[33]   C. Gary, "Approche Complete de la Propagation multifilaire en haute frequence par utilisation des matrices complexes" ("Complete approach to multiconductor propagation at high frequency with complex matrices," in French), EdF Bulletin de la Direction des Etudes et Recherches, Serie B, no. 3/4, pp. 5-20, 1976.

[34]   A. Deri, G. Tevan, A. Semlyen and A. Castanheira, "The complex ground return plane, a simplified model for homogeneous and multi-layer earth return", IEEE Trans. Power App. Syst., vol. PAS-100, pp. 3686-3693, Aug. 1981.

[35]   L.M. Wedepohl and A.E. Efthymiadis, "Wave propagation in transmission lines over lossy ground: A new, complete field solution," Proc. IEE, vol. 125, pp. 505-510, June 1978.

[36]   A. Semlyen, "Ground return parameters of transmission lines; an asymptotic analysis for very high frequencies," IEEE Trans. Power App. Syst., vol. PAS-100, pp. 1031-1038, March 1981.

[37]   IEEE Working Group, "Electromagnetic effects of overhead transmission lines. Practical problems, safeguards, and methods of calculation," IEEE Trans. Power App. Syst., vol. PAS-93, pp. 892-904, May/June 1974.

[38]   S. Butterworth, Electrical characteristics of overhead lines, El. Research Assn., Tech. Rpt. Ref. O/T4, 1954.

[39]   R.H. Galloway, W.B. Shorrocks and L.M. Wedepohl, "Calculation of electrical parameters for short and long polyphase transmission lines," Proc. IEE, vol. 111, pp. 2051-2059, Dec. 1964.

[40]   P. Silvester, "Impedance of nonmagnetic overhead power transmission conductors," IEEE Trans. Power App. Syst., vol. PAS-88, pp. 731-737, May 1969.

[41]   A.E. Kennelly, F.A. Laws and P.H. Pierce, "Experimental research on skin effect in conductors," AIEE Trans., pt. II, vol. 34, pp. 1953-2018, 1915.

[42]   H.J. West and A.L. Courts, "Current distribution within asymmetrical UHV bundles: A laboratory confirmation of analytical studies," IEEE Trans. Power App. Syst., vol. PAS-95, pp. 1487-1492, July/Aug. 1976.

[43]   R.B. Shipley and D.W. Coleman, "A new direct matrix inversion method," AIEE Trans., pt. I (Commun. and Electronics), vol. 78, pp. 568-572, 1959.

[44]   E. Clarke, Circuit Analysis of A-C Power Systems, vol. 1. New York: John Wiley & Sons, 1943.

[45]   D.E. Hedman, "Propagation on overhead transmission lines.   I - Theory of modal analysis. II - Earth-conduction effects and practical results," IEEE Trans. Power App. Syst., vol. PAS-84, pp. 200-211, March 1965, and pp. 489-492, June 1965.

[46]   L.M. Wedepohl and R.G. Wasley, "Wave propagation in polyphase transmission systems; resonance effects due to discretely bonded earth wires," Proc. IEE, vol. 112, pp. 2113-2119, Nov. 1965.

[47]   General **Electric Co., Transmission** Line Reference Book 345 kV and Above. **New** York: F. Weidner & Son Printers, 1975.

[48]   E.W. Kimbark, Electrical Transmission of Power and Signals. John Wiley & Sons, New York, 1949.

[49]   IEEE Working Group, "Electrostatic effects of overhead transmission lines," IEEE Trans. Power App. Syst., vol. PAS-91, pp. 422-433, March/April 1972.

[50]   H.W. Dommel, "Digital computer solution of electromagnetic transients in single and multiphase networks," IEEE Trans. Power App. Syst., vol. PAS-88, pp. 388-399, April 1969.

[51]   Westinghouse Electric Corp., Electrical Transmission and Distribution Reference Book. Pittsburgh: Westinghouse Electric Corp., 1964.

[52]   E.v. Rziha, Starkstromtechnik-Taschenbuch fuer Elektrotechniker, vol. II. Berlin: Wilhelm Ernst u. Sohn, 1960 (in German).

[53]   Siemens, Formel- und Tabellenbuch fuer Starkstrom- Ingenieure. Essen: Girardet 1965 (in German).

[54]   H. Happoldt and D. Oeding, Elektrische Kraftwerke und Netze ("Electric power plants and networks," in German). Springer, Berlin, 1978.

[55]   G.T. Heydt and R. C. Burchett, discussion to "Six-phase (multi-phase) power transmission systems: Fault analysis" by N.B. Bhatt et al., IEEE Trans. Power App. Syst., vol. PAS-96, pp. 765-766, May/June 1977.

[56]   H. Edelmann, Berechnung elektrischer Verbundnetze ("Analysis of interconnected power systems," in German). Springer, Berlin, 1963.

[57]   H.W. Dommel and W.S. Meyer, "Computation of electromagnetic transients," Proc. IEEE, vol. 62, pp. 983-993, July 1974.

[58]   L.M. Wedepohl, "Application of matrix methods to the solution of travelling-wave phenomena in polyphase systems," Proc. IEE, vol. 110, pp. 2200-2212, Dec. 1963.

[59]   M.C. Perz, "Natural modes of power line carrier on horizontal three-phase lines," IEEE Trans. Power App. Syst., vol. 83, pp. 679-686, discussion pp. 748-754, 1964.

[60]   M.C. Perz, "A method of analysis of power line carrier problems on three-phase lines," IEEE Trans. Power App. Syst., vol. 83, pp. 686-691, discussion pp. 754-756, 1964.

[61]   L.M. Wedepohl, "Electric characteristics of polyphase transmission systems with special reference to boundary-value calculations at powerline carrier frequencies," Proc. IEE, vol. 112, pp. 2103-2112, Nov. 1965.

[62]   O. Nigol, "Analysis of radio noise from high-voltage lines (II) - Propagation theory," IEEE Trans. Power App. Syst., vol. 83, pp. 533-541, discussion pp. 554-558, 1964.

[63]   L.M. Wedepohl and J.N. Saha, "Radio-interference fields in multiconductor overhead transmission lines," Proc. IEE, vol. 116, pp. 1875-1884, Nov. 1969.

[64]   R. Pelissier, "Propagation of electromagnetic waves on a multiphase line," Revue Generale de 1'Electricite, vol. 78, pp. 337-352, 491-506, April and May 1969 (in French).

[65]   J.A. Brandao Faria and J.R. Borges da Silva, "Wave propagation in polyphase transmission lines; a general solution to include cases where ordinary modal theory fails," IEEE Trans. Power Systems, vol. PWRD-1,

pp. 182-189, April 1986.

[66]   C.R. Paul, "Solution of the transmission-line equations for lossy conductors and imperfect earth," Proc. IEE, vol. 122, pp. 177-182, Feb. 1975.

[67]   B.T. Smith, J. Boyle, B. Garbow, Y. Ikebe, V. Klena and C. Moler, Matrix Eigensystem Routines - EISPACK Guide, Second Edition, Lecture Notes in Comp. Sci., vol. 6, Springer- Verlag, New York, 1976.

[68]   K.E. Atkinson, An Introduction to Numerical Analysis. John Wiley & Sons, **New** York, 1978, p. 547.

[69]   IEEE Working Group, "Switching Surges: Part IV - Control and reduction on ac transmission lines," IEEE Trans. Power App. & Syst., vol. PAS-101, pp. 2694-2702, Aug. 1982.

[70]   R. Willoughby (editor), Stiff Differential Systems. Plenum Press, New York, 1974.

[71]   G.G. Dahlquist, "A special stability problem for linear multistep methods," Nordisk Tidskrift for Informations - Behandling, vol. 3, pp. 27-43, 1963.

[72]   H.W. Dommel and N. Sato, "Fast transient stability solutions," IEEE Trans. Power App. Syst., vol. PAS-91, pp. 1643-1650, 1972.

[73]   A. Semlyen and A. Dabuleanu, "A system approach to accurate switching transient calculations based on state variable component modelling," IEEE Trans. Power App. Syst., vol. PAS-94, pp. 572-578, March/April 1975.

[74]   IEEE Task Force, "First benchmark model for computer simulation of subsynchronous resonance," IEEE Trans. Power App. Syst., vol. PAS-96, pp. 1565-1572, Sept./Oct. 1977.

[75]   H. Dommel, "Digitale Rechenverfahren fur elektrische Netze" ("digital computer methods for network solutions," in German), Archiv f. Elektrotechnik, vol. 48, pp. 118-132, 1963.

[76]   IEEE Standard Dictionary of Electrical and Electronics Terms. Second Edition, published by IEEE. Wiley-Interscience, New York, 1977.

[77]   G.E. Forsythe and C.B. Moler, Computer Solution of Linear Algebraic Equations. Prentice-Hall, Englewood Cliffs, N.J., 1967.

[78]   P.C. Magnusson, "Travelling waves on multi-conductor open-wire lines - A numerical survey of the effects of frequency dependence of modal composition," IEEE Trans. Power App. Syst., vol. PAS-92, pp. 999-1008, May/June 1973.

[79]   V. Brandwajn, "Modifications of User's Instructions for MARTI SETUP," EMTP Newsletter, vol. 3, no. 1, pp. 76-80, Aug. 1982.

[80]   H.W. Dommel, A. Yan, R.J. Ortiz de Marcano, A.B. Miliani, "Case studies for electromagnetic transients," Univ. of British Columbia, Vancouver, Canada, May 1983.

[81]   L. Bergeron, "Du Coup de Belier en Hydraulique au Coup de Foudre en Electricité." Dunod, Paris 1949 (English translation: Water Hammer in Hydraulics and Wave Surges in Electricity; ASME Committee. Wiley, New York 1961).

[82]   CIGRE Working Group 13.05, "The calculation of switching surges. I. A comparison of transient network

analyser results," Electra No. 19, pp. 67-78, Nov. 1971.

[83]   A. Budner, "Introduction of frequency-dependent line parameters into an electromagnetic transients program", IEEE Trans. Power App. Syst., vol. PAS-89, pp. 88-97, Jan. 1970.

[84]   W.S. Meyer and H.W. Dommel, "Numerical modelling of frequency-dependent transmission line parameters in an electromagnetic transients program," IEEE Trans. Power App. Syst., vol. PAS-93, pp. 1401-1409, Sept./Oct. 1974.

[85]   J.K. Snelson, "Propagation of travelling waves on transmission lines - Frequency dependent parameters," IEEE Trans. Power App. Syst., vol. PAS-91, pp. 85-91, Jan./Feb. 1972.

[86]   A. Semlyen and A. Dabuleanu, "Fast and accurate switching transient calculations on transmission lines with ground return using recursive convolutions," IEEE Trans. Power App. Syst., vol. PAS-94, pp. 561-571, March/April 1975.

[87]   A. Ametani, "A highly efficient method for calculating transmission line transients," IEEE Trans. Power App. Syst., vol. PAS-95, pp. 1545-1551, Sept./Oct. 1976.

[88]   J.R. Marti, "Accurate modelling of frequency-dependent transmission lines in electromagnetic transient simulations," IEEE Trans. Power App. Syst., vol. PAS-101, pp. 147-157, Jan. 1982.

[89]   CIGRE Working group 13.05, "The calculation of switching surges - III. Transmission line representation for energization and re-energization studies with complex feeding networks," Electra No. 62, pp. 45-78, Jan. 1979.

[90]   L. Marti, "Voltage and current profiles and low-order approximation of frequency-dependent transmission line parameters," M.A.Sc. Thesis, Univ. of British Columbia, Vancouver, Canada, April 1982.

[91]   F.H. Branin, "Transient analysis of lossless transmission lines", Proc. IEEE, vol. 55, pp. 2012-2013, Nov. 1967

[92]   V. Larsen of EFI in Trondheim, Norway; personal communication.

[93]   R.G. Wasley and S. Selvavinayagamoorthy, "Approximate frequency response values for transmission-line transient analysis," Proc. IEE, vol. 121, pp. 281-286, April 1974.

[94]   J.R. Marti, The problem of frequency dependence in transmission line modelling. Ph.D. thesis, The University of British Columbia, Vancouver, Canada, April 1981.

[95]   L. Marti, "Low-order approximation of transmission line parameters for frequency-dependent models," IEEE Trans. Power App. Syst., vol. PAS-102, pp. 3582-3589, Nov. 1983.

[96]   E. Groschupf, "Simulation transienter Vorgange auf Leitungssystemen der Hochspannungs-Gleichstrom und Drehstrom-Ubertragung" ("Simulation of transient phenomena in systems with HVDC and ac transmission lines," in German). Ph.D. thesis, Technical University, Darmstadt, Germany, 1976.

[97]   K. Carlsen, E.H. Lenfest, and J.J. LaForest, "Mantrap - Machine and Network Transients Program," Proc. IEEE Power Industry Computer Appl. Conf., pp. 144-151, 1975.

[98]   G. Gross, and M.C. Hall, "Synchronous machine and torsional dynamics simulation in the computation of

electromagnetic transients," IEEE Trans. Power App. Syst., vol. PAS-97, pp. 1074-1086, July/Aug. 1978.

[99]   IEEE Working Group Report, "Recommended phasor diagram for synchronous machines," IEEE Trans. Power App. Syst., vol. PAS-88, pp. 1593-1610, Nov. 1969.

[100]   R.P. Schulz, W.D. Jones, and D.N. Ewart, "Dynamic models of turbine generators derived from solid rotor equivalent circuits," IEEE Trans. Power App. Syst., vol. PAS-92, pp. 926-933, May/June 1973.

[101]   E.W. Kimbark, Power System Stability: Synchronous Machines. Dover Publications, New York, 1965 (reprint of 1956 edition by J. Wiley & Sons).

[102]   IEEE, Test Procedures for Synchronous Machines. Standard 115, 1965 (being revised in 1984 to include trial procedure for standstill frequency testing).

[103]   IEC, Recommendations for Rotating Electric Machinery. Publ. 34-4A, 1972.

[104]   I.M. Canay, "Determination of model parameters of synchronous machines," Proc. IEE, **vol.** 130, pt. B, pp. 86-94, March 1983.

[105]   B. Adkins and R.G. Harley, The General Theory of Alternating Current Machines: Application to Practical Problems. Chapman and Hall, London, 1975.

[106]   H.W. Dommel, "Data conversion of synchronous machine parameters," EMTP Newsletter, vol. 1, No. 3, pp. 13-17, April 1980.

[107]   I.M. Canay, H.J. Rohrer, K.E. Schnirel, "Effect of electrical disturbances, grid recovery voltage and generator inertia on maximization of mechanical torques inlarge turbogenerator sets," IEEE State-of-the-Art Symposium - Turbine Generator Shaft Torsionals, Publ. No. 79THOO59-6-PWR, 1979.

[108]   R.B. Shipley, D. Coleman, and C.F. Watts, "Transformer circuits for digital studies," AIEE Trans., Pt. III, vol. 81, pp. 1028-1031, Feb. 1963.

[109]   L.F. Blume et **al,** Transformer Engineering. 2nd Edition. John Wiley & Sons, New York, 1951, p. 117.

[110]   D.E. Hedman, "Theoretical evaluation of multiphase propagation," IEEE Trans. Power App. Syst., vol. PAS-90, pp. 2460-2471, Nov./Dec. 1971.

[111]   D. Povh and W. Schulz, "Analysis of overvoltages caused by transformer magnetizing inrush current," IEEE Trans. Power App. Syst., vol. PAS-97, pp. 1355-1365, July/Aug. 1978.

[112]   K. Schlosser, "An equivalent circuit for N-winding transformers derived from a physical basis," Brown Boveri-Nachrichten, vol. 45, pp. 107-132, March 1963 and "Application of the equivalent circuit of an N-winding transformer," Brown Boveri-Nachrichten, vol. 45, pp. 318-333, June 1963 (in German).

[113]   M. Kh. Zikherman, "Magnetizing characteristics of large power transformers," Elektrichestvo No. 3, pp. 79-82, 1972 (in Russian; English translation in Electric Technology USSR).

[114]   E.P. Dick and W. Watson, "Transformer models for transient studies based on field measurements," IEEE Trans. Power App. Syst., vol. PAS-100, pp. 409-419, Jan. 1981.

[115]   J. Avila-Rosales and F.L. Alvarado, "Nonlinear frequency dependent transformer model for electromagnetic transient studies in power systems," IEEE Trans. Power App. Syst., vol. PAS-101, pp.

4281-4288, Nov. 1982.

[116] **A. Goldstein, Transformer, p.** 330 **(in German). Chapter** in Technik No. **3, edited by Th. Boveri and Th. Wasserrab.   Fischer, Frankfurt** (Germany), 1963.

[117] C.W. Taylor, "Simulation of current transformers," Internal Report, Bonneville Power Administration, Feb. 1975.

[118] L.O. Chua and **K.A.** Stromsmoe, "Lumped-circuit models for nonlinear inductors exhibiting hysteresis loops," IEEE Trans. Circuit Theory, vol. CT-17, pp. 564-574, Nov. 1970.

[119] J.G. Frame, N. Mohan and T. Liu, "Hysteresis modeling in an electromagnetic transients program," IEEE Trans. Power App. Syst., vol. PAS-101, pp. 3403-3412, Sept. 1982.

[120] N. Germay, S. Mastero and J. Vroman, "Review of ferroresonance phenomena in high-voltage power systems, and presentation of a voltage transformer model for predetermining them," CIGRE Report No. 33-18, Paris, 1974.

[121] L. Krahenbuhl, B. Kulicke, and A. Webs, "Simulationsmodell eines Mehrwicklungstransformators zur Untersuchung von Sattigungsvorgangen," ("simulation model of an N-winding transformer for the analysis of saturation phenomena", in German), Siemens Forschungs-und Entwicklungs-Berichte (Siemens Research and Development Reports), vol. 12, pp. 232-235, 1983.

[122] E. Colombo and G. Santagostino, "Results of the enquiries on actual network conditions when switching magnetizing and small inductive currents and on transformer and shunt reactor saturation characteristics", Electra No. 94, pp. 35-53, May 1984.

[123] T. Adielson, A. Carlson, H.B. Margolis, and J.A. Halladay, "Resonant overvoltages in EHV transformers - modeling and application", IEEE Trans. Power App. Syst., vol. PAS-100, pp. 3563-3572, July 1981.

[124] R.C. Degeneff, "A method for constructing terminal models for single-phase N-winding transformers", Paper A 78 539-9, presented at IEEE PES **Summer** Meeting, Los Angeles, Calif., July 16-21, 1978.

[125] G.W. Swift, "Power transformer core behavior under transient conditions", IEEE Trans. Power App. Syst., vol. PAS-90, pp. 2206-2210, Sept./Oct. 1971.

[126] E. Kuffel and W.S. Zaengl, High Voltage Engineering. Pergamon Press, Oxford, 1984.

[127] F.W. Heilbronner, "Firing and voltage shape of multistage impulse generators", IEEE Trans. Power App. Syst., vol. PAS-90, pp. 2233-2238, Sept./Oct. 1971.

[128] W.F. Long, "A study on some switching aspects of a double circuit HVDC transmission line", IEEE Trans. Power App. Syst., vol. PAS-92, pp. 734-741, March/April 1973.

[129] D.J. Melvold, P.R. Shockley, W.F. Long, and N.G. Hingorani, "Three terminal operation of the Pacific HVDC Intertie for dc circuit breaker testing", IEEE Trans. Power App. Syst., vol. PAS-95, pp. 1287-1296, July/Aug. 1976.

[130] B.C. Chiu, A converter model for the digital simulation of transients in ac/dc transmission systems.

M.A.Sc. thesis, University of British Columbia, Vancouver, Canada, May 1980.

[131]   V. Brandwajn, "Influence of numerical noise on the stability of Type 59 SM model", EMTP Newsletter, vol. 2, no. 3, pp. 37-43, Feb. 1982.

[132]   V. Brandwajn, "Investigation and improvement of long term stability for the TYPE-59 synchronous machine model", EMTP Newsletter, vol. 4, no. 2, pp. 54-57, Nov. 1983.

[133]   D.A. Calahan, "Numerical considerations for implementation of nonlinear transient circuit analysis program", IEEE Trans. Circuit Theory, vol. CT-18, pp. 66-73, Jan. 1971.

[134]   J. Mechenbier, "Simulation of synchronous machines in cases with large speed changes", EMTP Newsletter, vol. 5, no. 4, pp. 3-7, Oct. 1985.

[135]   B. Kulicke, "Simulation program NETOMAC: modelling of synchronous and induction machines" (in German), Siemens Forschungs-u. Entwicklungs-Berichte, vol. 11, pp. 156-161, 1982.

[136]   R. Ramanujam, "A method of interfacing Olive's model of synchronous machine in an electromagnetic transients program", EMTP Newsletter, vol. 3, no. 1, pp. 46-59, Aug. 1982.

[137]   H.K. Lauw and W.S. Meyer, "Universal machine modelling for the representation of rotating electric machinery in an electromagnetic transients program", IEEE Trans. Power App. Syst., vol. PAS-101, pp. 1342-1351, June 1982.

[138]   G.J. Rogers and D. Shirmohammadi, "Induction machine modelling for electromagnetic transient program", Ontario Hydro Internal Memorandum, 1985.

[139]   D. Shirmohammadi, "Universal machine modelling in Electromagnetic Transient Program (EMTP)", EMTP Newsletter, vol. 5, no. 2, pp. 5-27, April 1985, and Trans. Engineering & Operating Division, Canadian Electrical Association, vol. 24, 1985.

[140]   H.K. Lauw, "Interfacing for universal multi-machine system modelling in an electromagnetic transients program", IEEE Trans. Power App. Syst., vol. PAS-104, pp. 2367-2373, Sept. 1985.

[141]   W.F. Tinney and J.W. Walker, "Direct solutions of sparse network equations by optimally ordered triangular factorization", Proc. IEEE, vol. 55, pp. 1801-1809, Nov. 1967.

[142]   H. Edelmann, "Ordered triangular factorization of matrices", Proc. Power Systems Computation Conference, Stockholm, 1966.

[143]   J. Carpentier, "Ordered eliminations", Proc. Power Systems Computation Conference, London, 1963.

[144]   W.F. Tinney, V. Brandwajn and S.M. Chan, "Sparse vector methods", IEEE Trans. Power App. Syst., vol. PAS-104, pp. 295-301, Febr. 1985.

[145]   W.F. Tinney and W.S. Meyer, "Solution of large sparse systems by ordered triangular factorization", IEEE Trans. Automatic Control, vol. AC-18, pp. 333-346, Aug. 1973.

[146]   W.F. Tinney, "Some examples of sparse matrix methods for power network problems", Proc. 3rd Power Systems Computation Conference, Rome, 1969.

[147]   W.F. Tinney and W.L. Powell, "Comparison of matrix inversion and sparse triangular factorization for

solution of power network problems", Paper presented at a Romania-U.S. Conference on Power Systems, Bucharest, 1974.

[148]   B.M. Weedy, Electric Power Systems. Third Edition. John Wiley and Sons, Chichester (England), 1979.

[149]   Handbook of Mathematical Functions. Edited by M. Abramowitz and I.A. Stegun, publ. by U.S. Dept. of Commerce, 1964.

[150]   L.M. Wedepohl and D.J. Wilcox, "Transient analysis of underground power transmission systems; system-model and wave propagation characteristics", Proc. IEE, vol. 120, pp. 252-259, Feb. 1973.

[151]   G. Bianchi and G. Luoni, "Induced currents and losses in single-core submarine cables", IEEE Trans. Power App. syst., vol. PAS-95, pp. 49-58, Jan./Feb. 1976.

[152]   S.A. Schelkunoff, "The electromagnetic theory of coaxial transmission lines and cylindrical shields", Bell System Technical Journal, vol. 13, pp. 532-579, 1934.

[153]   D.R. Smith and J.V. Barger, "Impedance and circulating current calculations for UD multi-wire concentric neutral circuits", IEEE Trans. Power App. Syst., vol. PAS-91, pp. 992-1006, May/June 1972.

[154]   O. Breien and I. Johansen, "Attenuation of travelling waves in single-phase high-voltage cables", Proc. IEE, vol. 118, pp. 787-793, June 1971.

[155]   L. Marti, "Simulation of electromagnetic transients in underground cables with frequency-dependent modal transformation matrices", Ph.D. thesis, University of British Columbia, Vancouver, Canada, Nov. 1986.

[156]   A. Semlyen, discussion to "Overhead line parameters from handbook formulas and computer programs" by H.W. Dommel, IEEE Trans. Power App. Syst., vol. PAS-104, p. 371, Feb. 1985.

[157]   P.W. Hornbeck, Numerical Methods. Quantum Publishers, New York, 1975.

[158]   H.W. Dommel and J.H. Sawada, "The calculation of induced voltages and currents on pipelines adjacent to ac power lines", Report to B.C. Hydro and Power Authority for CEA Contract 75-02, 1976 (not released yet).

[159]   J.A. Tegopoulous, and E.E. Kriezis, "Eddy current distribution in cylindrical shells of infinite length due to axial current - Part II: shells of finite thickness", IEEE PAS-90, pp. 1287-1294, May 1971.

[160]   G.W. Brown and R.G. Rocamora, "Surge propagation in three-phase pipe-type cables. Part I - Unsaturated pipe", IEEE Trans. Power App. Syst., vol. PAS-95, pp. 89-95, Jan./Feb. 1976.

[161]   R.G. Rocamora and G.W. Brown, "Surge propagation in three-phase pipe-type cables. Part II - Duplication of field tests including the effects of neutral wires and pipe saturation", IEEE Trans. Power App. Syst., vol. PAS-96, pp. 826-833, May/June 1977.

[162]   P. de Arizon and H.W. Dommel, "Computation of cable impedances based on sub-division of conductors", IEEE Trans. Power Delivery, vol. PWRD-2, pp.21-27, Jan. 1987.

[163]   A. Ametani, "A general formulation of impedance and admittance of cables", IEEE Trans. Power Syst., vol. PAS-99, pp. 902-910, May/June 1980.

[164] W.T. Weeks, L.L. Wu, M.F. McAllister, A. Singh, "Resistive and inductive skin effect in rectangular conductors", IBM Journal of Research and Development, **vol.** 23, no. 6, pp. 652-660, Nov. 1979.

[165] A. Konrad, "The numerical solution of steady-state skin effect problems - an integrodifferential approach", IEEE Trans., Vol. MAG-17, pp. 1148-1152, Jan. 1981.

[166] A. Konrad, "Integrodifferential finite element formulation of two dimensional steady-state skin effect problems", IEEE Trans., Vol. MAG-18, pp. 284-292, Jan. 1982.

[167] J. Weiss and Z.J. Csendes, "A one-step finite element method for multiconductor skin effect problems", IEEE Trans., Vol. PAS-101, pp. 3796-3802, Oct. 1982.

[168] N. Srivallipuranandan, "Series impedance and shunt admittance matrices of an underground cable system", M.A.Sc. Thesis, University of British Columbia, Vancouver, Canada, 1986.

[169] E.P. Dick, N. Fujimoto, G.L. Ford, and S. Harvey, "Transient ground potential rise in gas-insulated substations - problem identification and mitigation", IEEE Trans. Power App. Syst., vol. PAS 101, pp. 3610-3619, Oct. 1982.

[170] H. Bocker and D. **Oeding,** "Induced **voltages** in **pipelines close to** high **voltage lines",** **Elektrizitatswirtschaft** (in German), **vol.** 65, pp. 157-170, 1966.

[171] Yin Yanan "An application of finite element method (FEM) to the calculations of transmission line parameters", Internal Report, Univ. of British Columbia, Vancouver, Canada, April 1986.

[172] D. Kind, "The equal area criterion for impulse voltage stress of practical electrode configurations in air", ETZ-A (in German), vol. 79, pp. 65-69, 1958.

[173] F. **Heilbronner, discussion in** [50].

[174] U. Burger, Surge arresters with spark gaps. Chapter in Surges in High-Voltage Networks, edited by K. Ragaller. Plenum Press, New York, 1980.

[175] IEEE Working Group, "Modelling of current-limiting surge arresters", IEEE Trans. Power App. Syst., **vol.** PAS-100, pp. 4033-4040, Aug. 1981.

[176] D.P. Carrol, R.W. Flugum, J.W. Kalb and H.A. Peterson, "A dynamic surge arrester model for use in power system transient studies", IEEE Trans. Power App. Syst., vol. PAS-91, pp. 1057-1067, May/June 1972.

[177] G. Brauner, "Simulation of the performance of metal-clad substations and open-air substations under lightning surges (in German)", Ph.D. dissertation, Darmstadt, Germany, 1976.

[178] D.W. Durbak, "Zinc-oxide arrester model for fast surges", EMTP Newsletter, vol. 5, no. 1, pp. 1-9, Jan. 1985.

[179] B. Knecht, Solid state arresters. Chapter in Surges in High-Voltage Networks, edited by K. Ragaller. Plenum Press, **New** York, 1980.

[180] J.C. Flores, G.W. Buckley, and G. McPherson, "The effects of saturation on the armature leakage reactance of large synchronous machines", IEEE Trans. Power App. Syst., vol. PAS-103, pp. 593-600,

March 1984.

[181] M.V.K. Chari, Z.J. Csendes, S.H. Minnich, S.C. Tandon, and J. Berkery, "Load characteristics of synchronous generators by the finite-element method", IEEE Trans. Power App. Syst., vol. PAS-100, pp. 1-13, Jan. 1981.

[182] R.G. Harley, D.J.N Limebeer, E. Chirricozzi, "Comparative study of saturation methods in synchronous machine models", IEE Proc., vol. 127, pt. B., pp. 1-7, Jan. 1980.

[183] A. Sweetana, N. Kunkle, N. Hingorani, V. Tahiliani, "Design, development and testing of 1200 kV and 550 kV gapless surge arresters", IEEE Trans. Power App. Syst., vol. PAS-101, pp. 2319-2327, July 1982.

[184] M.B. Hughes, R.W. Leonard, T.G. Martinich, "Measurement of power system subsynchronous driving point impedance and comparison with computer simulations", IEEE Trans. Power App. Syst., vol. PAS-103, pp. 619-630, 1984.

[185] H.W. Dommel, A. Yan, Shi Wei, "Harmonics from transformer saturation", IEEE Trans. Power Delivery, vol. PWRD-1, pp. 209-215, April 1986.

[186] R.E. McCotter, H.A. Smolleck, S.J. Ranade, W.H. Kersting, "An investigation of the fundamental-frequency impedance of a single-phase distribution lateral", IEEE Trans. Power Delivery, vol. PWRD-1, pp. 232-238, Jan. 1986.

[187] M. Ren-ming, "The challenge of better EMTP TACS variable ordering", EMTP Newsletter, vol. 4, no. 4, pp. 1-6, Aug. 1984.

[188] J.A. Lima, "Numerical instability due to EMTP-TACS inter-relation", EMTP Newsletter, vol. 5, No. 1, pp. 21-23, Jan. 1985.

[189] L. Dubé and H.W. Dommel, "Simulation of control systems in an electromagnetic transients program with TACS", Proc. IEEE PICA Conf., pp. 266-271, May 1977.

[190] N. Dravid, "Comparison of various representations of a limit function in a second order system", handwritten notes, 1972.

[191] IEEE Task Force, "Conventions for block diagram representations", IEEE Trans. Power Syst., vol. PWRS-1, pp.95-100, Aug. 1986.

[192] J.H. Neher, "Phase sequence impedance of pipe type cables", IEEE Trans. Power App. Syst., vol. 83, pp. 795-804, August 1964.